

**Work Order ID 68885**

Monday, April 25, 2011 9:22:47 AM

Page 1

Item ID: D350-604-041

Accept

Revision ID:

Item Name: Rear Locker Extender

Start Date: 4/25/2011 Start Qty: 1.00

Required Date: 5/13/2011 Req'd Qty: 1.00

Reference:

Approvals:

Process Plan:

Date: 11-04-25

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run Hours

Tool ID

Tool #

Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

Draw Nbr

Revision Nbr

D2273

D

D350-604-041

A

DSI9470

A

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy bluefile and create labels per PPP D350-604-041 CHG002

8 4/25/20

9/1/01 BG 11-5-19

110

0.00



PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 13935  
Description: D350-604-041 Rear locker extender.  
Supplier: Delastek.  
Certification of Conformity and process sheet from Delastek is required.

4 x 2600-6 Camlock stud - Ship to Delastek B 117314

11-04-25  
①

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 68885**

Monday, April 25, 2011 9:22:47 AM



Page 2

Item ID: D350-604-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Rear Locker Extender

Start Date: 4/25/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 5/13/2011 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run Hours

Tool ID

Tool #

Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

120



Packaging

Receive &amp; Inspect for Damage &amp; Mat'l Certs

0.00

Packaging

Memo

0.00

Packaging

Ensure a copy of Certification of Conformity and process sheet from Delastek is attached.

130



QC

QC5- Inspect part completeness to step on W/O

0.00

Memo

0.00

Quality Control

Check hole locations to template. DT 8824 Check process sheet and audit.

140



Packaging

Pick Kit

0.00

Memo

0.00

Packaging

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 68885**

Monday, April 25, 2011 9:22:47 AM



Page 3

Item ID: D350-604-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Rear Locker Extender

Start Date: 4/25/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 5/13/2011 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_  
QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150  QC Quality Control	QC4- 100% Inspect kits for completeness  Memo	0.00 0.00		8	11/05/20				
160  Packaging Packaging	Packaging  Memo Identify and pack for shipping as per PPP D350-604-041 Location: _____ PPP Rev: _____	0.00 0.00							
170  QC Quality Control	QC21- Final Inspection - Work Order Release  Memo	0.00 0.00							

11/5/24

MF  
11-05-20

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Monday, April 25, 2011 9:22:54 AM

Page 1

Work Order ID: 68885

Parent Item: D350-604-041

Parent Item Name: Rear Locker Extender

Start Date: 4/25/2011



Required Date: 5/13/2011

Start Qty: 1.00

Required Qty: 1.00



Comments: IPP Rev:Q03.12.01 Reformat KJ/RF

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

2600-6  Camlock Stud		Purchased	No			110	Each	77.0000	4	4			
---	--	-----------	----	--	--	-----	------	---------	---	---	--	--	---


Location Loc Qty Loc Code

ST380 77  
117016 16  
117316 61

D350-604-041P  Rear Locker Extender		Purchased	No			120	Each	0.0000	1	1			
--	--	-----------	----	--	--	-----	------	--------	---	---	--	--	---



117316

68885

D2268  Decal		Manufactured	No			140	Each	14.0000	1	1			
---	--	--------------	----	--	--	-----	------	---------	---	---	--	--	---

Location Loc Qty Loc Code

ST010 14  
67420 14

D2269  Decal		Manufactured	No			140	Each	23.0000	1	1			
---	--	--------------	----	--	--	-----	------	---------	---	---	--	--	---

67420

Location Loc Qty Loc Code

ST010 23  
64437 3  
67421 20

67421

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries






DESIGN	JB	DRAWN BY	DART AEROSPACE LTD
			HAWKESBURY, ONTARIO, CANADA
CHECKED	<i>[Signature]</i>	APPROVED	DRAWING NO. D2273
			REV. D SHEET 1 OF 1
DATE	02.04.01	TITLE	350 REAR LOCKER EXTENDER
		SCALE	NTS
B	96.05.27	RE-DRAWN	
C	02.01.30	CLARIFY MATERIAL, LAYUP, AND TOOLING	
D	02.04.01	REMOVE EPOCAST, ADD SURFACE FINISH	

RELEASED  
02.04.03 *[Signature]*


SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 45885

*11-04-25*



NOTES:

- 1) LAMINATE PER DART QSI 006. LAMINATION SCHEDULE PER THIS DRAWING.
- 2) LAYUP USING DT8010 MOLD. WET LAYUP NO BAG/VACUUM.
- 3) TRIM & DRILL PER DT8020. OPEN HOLES TO  $\phi 0.257$  (4 PLACES).
- 4) MATERIALS:  
RESIN: DERAKANE 470-36/411/510A40  
FIBRE: 9oz = 9.7 oz 7781 WEAVE "S" GLASS  
18oz = 18.0 oz ROVING "E" GLASS.
- 5) CONSTRUCTION:  
101-WHITE GLOSS GELCOAT # GEL 944W005.  
102-9oz ALL OVER.  
103-18oz ALL OVER.  
104-18oz RE-INFORCE FRONT FLANGE EXTENDING 2" ON SIDES.  
105-9oz ALL OVER.  
106-PEEL PLY.
- 6) MATTE TO HOLD DOWN CORNERS AS REQUIRED.
- 7) FINISH THIS SURFACE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S.
- 8) ALL DIMENSIONS ARE IN INCHES.



SECTION A-A

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE		By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
DATE	STEP	Description of NC Section A	Corrective Action		Section B		Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng		Sign & Date			

NOTE: Date & initial all entries



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

\*\*\*PO REPRINT\*\*\*

Purchase Order ID PO13935

Purchase Order Date 4/25/2011

PO Print Date 4/25/2011

Page Number 1 of 2

Order From :

VU-DEL003

DELASTEK INC  
2699 5E AVENUE, LOCAL C.P 10100

GRAND-MERE, QC G9T 5K7  
CA

Contact Name

Vendor Phone 819 533 5788

Vendor Fax 819 533 3494

Vendor Account Nbr

Buyer

Brigitte Golden

Requisition Nbr

Tax Resale Nbr 10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD 1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req. Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	D350-604-041P	Rear Locker Extender	5/13/2011 Yes	1.00 Each	FedEx Overnight	\$330.0000	\$330.00
		Special Inst:	As per DWG: D2273, Rev: D B68885				
2	D350-604-041P	Rear Locker Extender	5/20/2011 Yes	1.00 Each	FedEx Overnight	\$330.0000	\$330.00
		Special Inst:	Same as above B68890				
3	D350-604-041P	Rear Locker Extender	5/27/2011 Yes	1.00 Each	FedEx Overnight	\$330.0000	\$330.00
		Special Inst:	Same as above B68891				
4	D350-604-041P	Rear Locker Extender	6/3/2011 Yes	1.00 Each	FedEx Overnight	\$330.0000	\$330.00
		Special Inst:	Same as above B68892				

PO Instructions: FedEx acct# 151793240

4/25/2011



Delastek inc.  
2699 5e avenue  
Local 14, Porte -A-  
Grand-Mère, Québec G9T 5K7  
Can \*\* Fax (819) 533-3494 \*\*

# PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	38469
Customer #	DART US

Telephone: (819) 533-5788  
Warehouse: MAIN

**Bill to:**

DART AEROSPACE LTD  
1270, Aberdeen Street  
Hawksbury, Ontario K6A 1K7  
Canada

**Ship to:**

DART AEROSPACE LTD  
1270, Aberdeen Street  
Hawksbury, Ontario K6A 1K7  
Canada

Telephone: 613-632-5200  
Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
FEDEX P1 Collect		Origin		Net 30 days USA		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #	GST/PST #	
16/05/2011	26/04/2011	17418	Brigitte Golden		13935		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0003	Line #1 Rear Locker Extender D350-604-041P B68885 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D  <u>No. série</u> B68885  <u>No. lot</u> 32273			

*It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.*

☒ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Accepted by:

*Yvan Leiva*  
Quality department AQ-357



Date: Lundi, 2011-03-21 07:44:53  
Utilisateur: Pascal Carignan

## Feuille de Procédé

Client	: DART US DART AEROSPACE LTD	Nom Dessin	: REAR LOCKER EXTENDER
Numéro Job	: 3272	Numéro Article	: DKC134-0003
Numéro Soumission	: 3482	Numéro Dessin	: D350-604-041 & D2273
Numéro B.A.	:	Projet Numéro	: DK-362
Cette fois	: 2011-03-21	Révision dessin	: A & D
Prsht Rev.	: NC	Matériel	: Derakane 470-36/411/510
Prem. fois	: - -	Date Dûe	: 2011-03-28
Job précédente	: 32272	Qté:	1 Udm: UNITE

Écrit par : \_\_\_\_\_  
Vérifié & Approuvé par : \_\_\_\_\_  
Commentaires : N° de pièce Laminée Dart Aerospace: D2273  
N° de pièce Assemblage Dart Aerospace: D350-604-041

**B68885**

Process Sheet Rév.: 02 Ajouter détails dans la seq. Identification.

## Produit additionnel

Numéro Job:



# Séq.: Machine ou Opération: Description:

1.0 PRÉPARATION Préparation du moule



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Faire la préparation du moule DKO-0250 selon IG 0009.

Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

2.0 AMB0350 Gel Coat Blanc N° Gel 944W005

Commentair Qty.: 1.580 UNITE(s)/Unit Total : 1.580 UNITE(s)

Gel Coat Blanc N° Gel 944W005

N° de Lot:

1-30393-1

3.0 AMB0286 Catalyst N° DDM-9

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot:

1-27829-1

4.0 AC0747 Acetone

Commentair Qty.: 0.200 KILOGRAMME(s)/Unit Total : 0.200 KILOGRAMME(s)

5.0 PREP-GENERAL Préparation du matériel



Commentair Setup: 0.00Hrs/ Run: 45.0000Min Total Run : 0.7500Hrs

Tailler le matériel selon les dimensions requises à l'aide de gabarit de trimage prévus à cet effet.

Date: 30-3-11 Sceau:



Date: Lundi, 2011-03-21 07:44:53  
Utilisateur: Pascal Carignan

## Feuille de Procédé

Client: DART US DART AEROSPACE LTD  
Numéro Job: 32273

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.: Machine ou Opération: Description :

6.0 PREP-GENERAL Préparation du matériel



Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

Faire la préparation du matériel selon IF134-0003 :

Dans une quantité de Gel Coat N° 944W005 ajouter 2% de Catalyst N° DDM-9 et diluer à l'aide de 10% d'acétone.

Date: 6/05/11 Sceau:



7.0 GEL COAT Application du Gel Coat



Commentair Setup: 0.00Hrs/ Run: 20.0000Min Total Run : 0.3333Hrs

Appliquer le gel coat selon IF 134-0003(réf. IG0019).

Note: Le gel coat ne doit contenir aucun "airdry" ni aucune cire. Et le temp de séchage est important afin d'éviter d'avoir des défauts de surface, et afin d'éviter que le tissu ne vienne marquer au travers du Gel Coat ainsi que d'éviter d'avoir un rétrécissement.

Quantité: 1 Date: 6/05/11 Sceau:



8.0 AMB0212 Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 1.680 LITRE(s)/Unit Total : 1.680 LITRE(s)

Résine (411B7530) 411-350 promo. 75min

N° de Lot:

1-30828-4

9.0 AMB0216 Catalyst N° DDM-9

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot:

1-27829-1

10.0 AMB0214 9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

Commentair Qty.: 4.6 VERGE(s)/Unit Total : 4.6 VERGE(s)

9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

N° de Lot:

1-30234-1

11.0 AMB0213 WR1850 Roving 18oz. x 50"

Commentair Qty.: 1.140 KILOGRAMME(s)/Unit Total : 1.140 KILOGRAMME(s)

WR1850 Roving 18oz. x 50"

N° de Lot:

1-28778-1

12.0 LAMINAGE Faire le laminage



Commentair Setup: 0.00Hrs/ Run: 3.5000Hrs Total Run : 3.5000Hrs

Selon IF 134-0003. S'assurer de ne pas trapper d'air entre les rangs.

Inscrire les informations suivantes:

Humidité: 24% Température: 70°F Heure: —

Date: Lundi, 2011-03-21 07:44:53  
Utilisateur: Pascal Carignan

## Feuille de Procédé

Client: DART AEROSPACE LTD  
Numéro Job: 32273

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.: Machine ou Opération: Description :

Quantité: 1

Date: 6/05/11

Sceau:



13.0 AMB0212 Résine (411B7530) 411-350 promo. 75min.

Commentaire Qty.: 0.150 LITRE(s)/Unit Total: 0.150 LITRE(s)

Résine (411B7530) 411-350 promo. 75min

N° de Lot:

1-30828-4

14.0 AMB0286 Catalyst N° DDM-9

Commentaire Qty.: 0.0070 GALLON(s)/Unit Total: 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot:

1-27829-1

15.0

FINITION

Finition Générale



Commentaire Setup: 0.00Hrs/ Run: 30.0000Min Total Run: 0.5000Hrs

Injecter les bulles d'air selon IF134-0003 si applicable.

Quantité: 1

Date: 11-5-11

Sceau:



16.0

DÉMOULAGE

Démoulage de la pièce



Commentaire Setup: 0.00Hrs/ Run: 10.0000Min Total Run: 0.1667Hrs

Faire le démoulage de la pièce selon IF134-0003 en poussant de l'air à l'intérieur tout en faisant bien attention de ne pas l'endommager.

Quantité: 1

Date: 9-5-11

Sceau:



17.0

TRIMAGE

Trimage



Commentaire Setup: 0.00Hrs/ Run: 40.0000Min Total Run: 0.6667Hrs

Selon IF 134-0002.

Faire le sablage si nécessaire.

Quantité: 1

Date: 12-5-11

Sceau:



18.0

AAC1021


Dupont Primer N° 7704S

Commentaire Qty.: 0.3400 UNITE(s)/Unit Total: 0.3400 UNITE(s)

Dupont Primer N° 7704S

N° de Lot:

1-28961-2





Date: Lundi, 2011-03-21 07:44:53  
Utilisateur: Pascal Carlier

## Feuille de Procédé

Client: DART US DART AEROSPACE LTD  
Numéro Job: 32273

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
19.0	AAC1101	N° 7775S, Dupont Activator - Reducer Chromabase

Commentaire Qty.: 0.0670 UNITE(s)/Unit Total : 0.0670 UNITE(s)

N° 7775S, Dupont Activator - Reducer Chromabase

N° de Lot: 1-29177-3

20.0

PRIMER

Application primer



Commentaire Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Appliquer le primer selon IG 0008.

Quantité: 1

Date: 12 mai 11



N° fiche de Mélange: 1/A

21.0

AAC1607

Camlock Stud 2600-4 (or Monadnock 1126000-4)

Commentaire Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Camlock Stud 2600-4 (or Monadnock 1126000-4)

N° de Lot: 1-30450-1

22.0

AAC0682

Washer 2600-LW (1127700)

Commentaire Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Washer 2600-LW (1127700)

N° de Lot: 1-6687-1



23.0

ASSEMBLAGE

Assemblage mécanique



Commentaire Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Faire l'assemblage selon IF134-0004.

Démâser la pièce.

Assembler les "Studs" selon IG 0037.

Quantité: 1

Date: 13/05/11

Sceau:



24.0

IDENTIFICATION

Identification à encre indélébile



Commentaire Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'identification de la pièce selon IF134-0005.

N° de pièce Cleint: D350-604-041

N° de Job: 32273

N° de Fabrication: 13/05/2011

Quantité: 1

Date: 13/05/2011

Sceau:



Date: Lundi, 2011-03-21 07:44:53  
Utilisateur: Pascal Carignan

## Feuille de Procédé

Client: DART US DART AEROSPACE LTD  
Numéro Job: 32273

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
---------	-----------------------	---------------

25.0	INSPEC. FINAL	Inspection finale
------	---------------	-------------------



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'inspection dimensionnelle et visuelle de la pièce selon le dessin.

Quantité: 1 Date: 13 MAI 2011 Sceau:



26.0	EMBALLAGE	Emballage & Entreposage
------	-----------	-------------------------



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'emballage selon IG 0057.

Quantité: 1 Date: 16 Mai 11 Sceau:



fab 13 Mai 11  
Job 32273

